



A COMPLETE SOLUTION FOR LED LIGHTS CATALOGUE 2025




SUNTRON™ *Lighting Pvt. Ltd.*

A COMPLETE SOLUTION FOR LED LIGHTS


AN ISO 9001 : 2015 CERTIFIED COMPANY

We are manufacturing a diverse range of:

LED Street Light, Flood Light, Bulkhead, LED Down Light, Concealed, Wall Light & Other Lighting



LED
LIGHTING
IP 66
CERTIFIED





About Us

Suntron Lighting Pvt. Ltd. is a leading manufacturer of high-quality LED lights and components, based in Aligarh. With 5 years of experience, we specialize in designing and producing innovative, energy-efficient lighting solutions for indoor and outdoor applications. Our state-of-the-art facility is equipped with advanced machinery and technology, enabling us to deliver exceptional quality products that meet international standards. Our team of skilled professionals is dedicated to providing customized lighting solutions that cater to the unique needs of our customers. At Suntron Lighting Pvt. Ltd., we are committed to innovation, quality, and customer satisfaction. We strive to build long-term partnerships with our clients, driving growth and success through our reliable and efficient lighting solutions.

Core Strengths:

- Advanced manufacturing & testing infrastructure
- High-quality LED components & complete lighting solutions
- Custom-designed lighting products
- Strong focus on innovation, efficiency & reliability
- Commitment to customer satisfaction and long-term collaboration

We follow basic human values & treat all our employees with respect & fairness. We also adapt the principle of honesty & fairness, generating an amusing workplace.

We are motivated by the happiness of our employees, thus we always maintain a working environment that is dominated by respect, mutual understanding, learning & growth. We are ethical & reliable by treating fairly.

We follow and encourage innovations through an individual suggestion system to achieve the opinion of all employees and realization of those ideas of innovations for continual improvement.



IN HOUSE FACILITIES AVAILABLE:

➔ Quality Control & Testing Facilities

- Photometric Testing
- Line Regulation
- High Pot & IR Testing
- Thermal Testing
- Surge Testing
- IP Testing
- Life Test

➔ LED Light (Indoor & Outdoor)

- Production Line & Packing Line
- Light Aging
- Laser Printing



OUR VISION

"At SUNRON LIGHTING PVT LTD, we aim to establish ourselves as the exclusive and trusted name and brand by consistently delivering high-quality products, right from the start, every time. Our team is driven by a passion for excellence, ensuring that every aspect of our operations meets the highest standards."

OUR MISSION

"Empowering excellence through innovation, people empowerment, and customer-centricity. We deliver value-added products and strive for continuous improvement."



QUALITY AND R&D LAB



PHOTOMETRIC TESTING



PHOTOMETRIC TESTING



LINE REGULATION TESTING



HI-POT & IR TESTING



THERMAL TESTING



SURGE TESTING



IP TESTING



LIGHT AGING



LASER PRINTING



WEIGHT MEASURING

Quality is our foremost priority

Green LED | Life25000hrs | HighEfficiency



AVAILABLE IN : ROUND & SQUARE SHAPE
COLOUR : CW / WW / NW

PC - PANEL LIGHT

PRODUCT CODE	WATT	CUT-OUT SIZE (INCH)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SN-8	8W	4 Inch	≥0.9	4 KV	80	IP-20	PC
SN-15	15W	6 Inch	≥0.9	4 KV	80	IP-20	PC
SN-22	22W	8 Inch	≥0.9	4 KV	80	IP-20	PC

Green LED | Life25000hrs | HighEfficiency



AVAILABLE IN : ROUND & SQUARE SHAPE
COLOUR : CW / WW / NW

PC - PANEL LIGHT

PRODUCT CODE	WATT	CUT-OUT SIZE (INCH)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SN-5	5W	3 Inch	≥0.9	4 KV	60	IP-20	PC
SN-8	8W	4 Inch	≥0.9	4 KV	80	IP-20	PC
SN-12	12W	5 Inch	≥0.9	4 KV	80	IP-20	PC
SN-15	15W	6 Inch	≥0.9	4 KV	80	IP-20	PC

Quality is our foremost priority

Green LED | Life25000hrs | HighEfficiency



AVAILABLE IN : ROUND & SQUARE SHAPE
COLOUR : CW / WW / NW

PC - EDGELIT PANEL (INTERNAL DRIVER)

PRODUCT CODE	WATT	CUT-OUT SIZE (INCH)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP-RATING	HOUSING TYPE
SN-3	3W	2.5 Inch	≥0.9	4 KV	60	IP-20	PC
SN-6	6W	4 Inch	≥0.9	4 KV	60	IP-20	PC
SN-10	10W	5 Inch	≥0.9	4 KV	80	IP-20	PC
SN-15	15W	6 Inch	≥0.9	4 KV	80	IP-20	PC
SN-20	20W	8 Inch	≥0.9	4 KV	80	IP-20	PC

Green LED | Life25000hrs | HighEfficiency



AVAILABLE IN : ROUND & SQUARE SHAPE
COLOUR : CW / WW / NW

PC - EDGELIT PANEL (EXTERNAL DRIVER)

PRODUCT CODE	WATT	CUT-OUT SIZE (INCH)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP-RATING	HOUSING TYPE
SN-3	3W	2.5 Inch	≥0.9	4 KV	60	IP-20	PC
SN-6	6W	4 Inch	≥0.9	4 KV	60	IP-20	PC
SN-10	10W	5 Inch	≥0.9	4 KV	80	IP-20	PC
SN-15	15W	6 Inch	≥0.9	4 KV	80	IP-20	PC
SN-20	20W	8 Inch	≥0.9	4 KV	80	IP-20	PC

Quality is our foremost priority

Green LED | Life25000hrs | HighEfficiency



AVAILABLE IN : ROUND SHAPE
COLOUR : CW / WW / NW

PC - BACKLIT LIGHT

PRODUCT CODE	WATT	CUT-OUT SIZE (INCH)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SN-8	8W	4 Inch	≥0.9	4 KV	60	IP-20	PC
SN-15	15W	5 Inch	≥0.9	4 KV	80	IP-20	PC

CONCEALED LIGHT

Green LED | Life25000hrs | HighEfficiency



AVAILABLE IN : ROUND SHAPE
COLOUR : CW / WW / NW

PC - CONCEALED LIGHT

PRODUCT CODE	WATT	CUT-OUT SIZE (INCH)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SN-5	5W	3 Inch	≥0.9	4 KV	70	IP-20	PC

Quality is our foremost priority

Green LED | Life25000hrs | HighEfficiency



AVAILABLE IN : ROUND SHAPE
COLOUR : CW / WW / NW

PC - CONCEALED LIGHT

PRODUCT CODE	WATT	CUT-OUT SIZE (INCH)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SN-7	7W	3 Inch	≥0.9	4 KV	70	IP-20	PC

Green LED | Life25000hrs | HighEfficiency



AVAILABLE IN : ROUND SHAPE
COLOUR : CW / WW / NW

PC - CONCEALED LIGHT

PRODUCT CODE	WATT	CUT-OUT SIZE (INCH)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SN-5	5W	3 Inch	≥0.9	4 KV	70	IP-20	PC

Quality is our foremost priority

Green LED | Life25000hrs | HighEfficiency



AVAILABLE IN : ROUND SHAPE
COLOUR : CW / WW / NW

PC - CONCEALED LIGHT

PRODUCT CODE	WATT	CUT-OUT SIZE (INCH)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SN-3	3W	2 Inch	≥0.9	4 KV	60	IP-20	PC

Green LED | Life25000hrs | HighEfficiency



AVAILABLE IN : ROUND SHAPE
COLOUR : CW / WW / NW

PC - CONCEALED LIGHT

PRODUCT CODE	WATT	CUT-OUT SIZE (INCH)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SN-7	7W	4 Inch	≥0.9	4 KV	70	IP-20	PC

Quality is our foremost priority

Green LED | Life25000hrs | HighEfficiency



AVAILABLE IN : ROUND SHAPE
COLOUR : CW / WW / NW

ALUMINIUM CONCEALED LIGHT

PRODUCT CODE	WATT	CUT-OUT SIZE (INCH)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SN-14	14W	4 Inch	≥0.9	4 KV	80	IP-20	ALUMINIUM

DEEP LIGHT

Green LED | Life25000hrs | HighEfficiency



AVAILABLE IN : ROUND SHAPE
COLOUR : CW / WW / NW

DEEP DOWN LIGHT

PRODUCT CODE	WATT	CUT-OUT SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SN-7	7W	84 x 45mm	≥0.9	4 KV	60	IP-20	PC
SN-15	15W	140 x 55mm	≥0.9	4 KV	80	IP-20	PC

Quality is our foremost priority

Green LED | Life25000hrs | HighEfficiency



AVAILABLE IN : ROUND SHAPE
COLOUR : CW / WW / NW

DEEP DOWN LIGHT

PRODUCT CODE	WATT	CUT-OUT SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SN-7	7W	50mm	≥0.9	4 KV	60	IP-20	PC
SN-15	15W	50mm	≥0.9	4 KV	80	IP-20	PC

BULKHEAD LIGHT

Green LED | Life25000hrs | HighEfficiency



AVAILABLE IN : OVAL SHAPE
COLOUR : CW / WW / NW

DOB BULKHEAD LIGHT

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SN-10	10W	210 x 101 x 54mm	≥0.9	4 KV	90	IP-65	PC
SN-20	20W	168 x 69 x 47mm	≥0.9	4 KV	90	IP-65	PC

Quality is our foremost priority

Green LED | Life25000hrs | HighEfficiency



AVAILABLE IN : OVAL SHAPE
COLOUR : CW / WW / NW

PC - BULKHEAD LIGHT

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SN-12	12W	176 x 96mm	≥0.9	4 KV	90	IP-65	PC

Green LED | Life25000hrs | HighEfficiency



AVAILABLE IN : OVAL SHAPE
COLOUR : CW / WW / NW

ALUMINUM BULKHEAD LIGHT

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SN-10	10W	189 x 107 x 55mm	≥0.9	4 KV	70	IP-66	ALUMINIUM
SN-20	20W	189 x 107 x 55mm	≥0.9	4 KV	80	IP-66	ALUMINIUM

Quality is our foremost priority

Green LED | Life 25000hrs | High Efficiency



AVAILABLE IN : ROUND SHAPE
COLOUR : CW / WW / NW

COB SPOT LIGHT

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP-RATING	HOUSING TYPE
SN-1	1W	40 x 27mm	≥0.5	0.5 KV	50	IP-20	ALUMINIUM

DOB STRIKER LIGHT

Green LED | Life 25000hrs | High Efficiency



AVAILABLE IN : ROUND & SQUARE SHAPE
COLOUR : CW / WW / NW

DOB STRIKER LIGHT

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP-RATING	HOUSING TYPE
SN-3	3W RD.	Dia (60 x 36mm)	≥0.5	1 KV	60	IP-20	ALUMINIUM
SN-6	6W RD.	Dia (100 x 70mm)	≥0.5	2 KV	60	IP-20	ALUMINIUM
SN-3	3W SQ.	54 x 54 x 10.7mm	≥0.5	1 KV	60	IP-20	ALUMINIUM






 **SUNtron™** Lighting
AN ISO 9001 : 2015 CERTIFIED CO.

LED STREET & FLOOD LIGHTS SERIES...



Quality is our foremost priority

Green LED | Life25000hrs | HighEfficiency




PLASTIC DOB LED STREET LIGHT (NEO SERIES)

COLOUR : CW / WW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SLPL-SL-24	24W	310 x 95mm	≥0.9	4 KV	90	IP-66	PC
SLPL-SL-36	36W	310 x 95mm	≥0.9	4 KV	90	IP-66	PC

Green LED | Life25000hrs | HighEfficiency




LED STREET LIGHT (ECO SERIES)

COLOUR : CW / WW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SLPL-SL-30	30W	255 x 135 x 43mm	≥0.9	5 KV	90	IP-66	ALUMINIUM
SLPL-SL-36	36W	255 x 135 x 43mm	≥0.9	5 KV	90	IP-66	ALUMINIUM
SLPL-SL-50	50W	294 x 160 x 44mm	≥0.9	6 KV	100	IP-66	ALUMINIUM
SLPL-SL-60	60W	294 x 160 x 44mm	≥0.9	6 KV	100	IP-66	ALUMINIUM
SLPL-SL-80	80W	349 x 173 x 52mm	≥0.9	6 KV	100	IP-66	ALUMINIUM
SLPL-SL-90	90W	427 x 200 x 51mm	≥0.9	6 KV	100	IP-66	ALUMINIUM
SLPL-SL-100	100W	427 x 200 x 51mm	≥0.9	6 KV	100	IP-66	ALUMINIUM
SLPL-SL-110	110W	427 x 200 x 51mm	≥0.9	6 KV	100	IP-66	ALUMINIUM
SLPL-SL-120	120W	427 x 200 x 51mm	≥0.9	6 KV	100	IP-66	ALUMINIUM

Quality is our foremost priority

Green LED | Life25000hrs | HighEfficiency




LED STREET LIGHT (SLIM LEAF SERIES)

COLOUR : CW / WW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SLPL-SL-30	30W	260 x 117 x 43mm	≥0.9	5 KV	90	IP-66	ALUMINIUM
SLPL-SL-50	50W	319 x 131 x 48mm	≥0.9	6 KV	100	IP-66	ALUMINIUM
SLPL-SL-80	80W	402 x 168 x 52mm	≥0.9	6 KV	100	IP-66	ALUMINIUM

Green LED | Life25000hrs | HighEfficiency



SL-305

COLOUR : CW / WW


LED SIZE : 2835 & 5050

LED STREET LIGHT (LENS MODEL)

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SLPL-SL-36	36W	255 x 91 x 51mm	≥0.9	6 KV	90	IP-66	ALUMINIUM
SLPL-SL-45	45W	255 x 91 x 51mm	≥0.9	6 KV	100	IP-66	ALUMINIUM

Quality is our foremost priority

Green LED | Life25000hrs | HighEfficiency




LED SIZE : 2835 & 5050

LED STREET LIGHT (LENS MODEL)

COLOUR : CW / VW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP-RATING	HOUSING TYPE
SLPL-SL-60	60W	265 x 102 x 58mm	≥0.9	6 KV	100	IP-66	ALUMINIUM

Green LED | Life25000hrs | HighEfficiency




LED STREET LIGHT (LENS MODEL)

COLOUR : CW / VW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP-RATING	HOUSING TYPE
SLPL-SL-45W	45W	265 x 91 x 52mm	≥0.9	6 KV	100	IP-66	ALUMINIUM
SLPL-SL-50W	50W	265 x 91 x 52mm	≥0.9	6 KV	100	IP-66	ALUMINIUM

Quality is our foremost priority

Green LED | Life25000hrs | HighEfficiency




LED SIZE : 2835 & 5050

LED STREET LIGHT (LENS MODEL)

COLOUR : CW / WW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP-RATING	HOUSING TYPE
SLPL-SL-70	70W	330 x 158 x 61mm	≥0.9	6 KV	100	IP-66	ALUMINIUM
SLPL-SL-70	90W	330 x 158 x 61mm	≥0.9	6 KV	100	IP-66	ALUMINIUM

Green LED | Life25000hrs | HighEfficiency




LED STREET LIGHT (LENS MODEL)

COLOUR : CW / WW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP-RATING	HOUSING TYPE
SLPL-SL-120	120W	331 x 186 x 60mm	≥0.9	6 KV	100	IP-66	ALUMINIUM
SLPL-SL-150	150W	360 x 215 x 60mm	≥0.9	6 KV	110	IP-66	ALUMINIUM
SLPL-SL-200	200W	464 x 250 x 49mm	≥0.9	6 KV	120	IP-66	ALUMINIUM
SLPL-SL-250	250W	514 x 295 x 63mm	≥0.9	6 KV	120	IP-66	ALUMINIUM

Quality is our foremost priority

Green LED | Life25000hrs | HighEfficiency




COLOUR : CW / WW

LED STREET LIGHT (LEGEND MODEL)

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP-RATING	HOUSING TYPE
SLPL-SL-18	18W	227 x 85mm	≥0.9	4 KV	80	IP-66	ALUMINIUM
SLPL-SL-30	30W	344 x 106mm	≥0.9	5 KV	90	IP-66	ALUMINIUM
SLPL-SL-50	50W	371 x 147mm	≥0.9	6 KV	100	IP-66	ALUMINIUM
SLPL-SL-80	80W	371 x 147mm	≥0.9	6 KV	100	IP-66	ALUMINIUM
SLPL-SL-120	120W	401 x 185mm	≥0.9	6 KV	100	IP-66	ALUMINIUM
SLPL-SL-150	150W	460 x 231mm	≥0.9	6 KV	120	IP-66	ALUMINIUM

Green LED | Life25000hrs | HighEfficiency




COLOUR : CW / WW

LED STREET LIGHT (LEGEND MODEL)

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP-RATING	HOUSING TYPE
SLPL-SL-200	200W	515 x 260mm	≥0.9	6 KV	120	IP-66	ALUMINIUM
SLPL-SL-250	250W	515 x 260mm	≥0.9	6 KV	120	IP-66	ALUMINIUM

Quality is our foremost priority

Green LED | Life25000hrs | HighEfficiency




LED FLOOD LIGHT (GM MODEL)

COLOUR : CW / WW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP-RATING	HOUSING TYPE
SLPL-FL-20	20W	130 x 143 x 42mm	≥0.9	4 KV	90	IP-66	ALUMINIUM
SLPL-FL-30	30W	180 x 183 x 52mm	≥0.9	5 KV	90	IP-66	ALUMINIUM
SLPL-FL-50	50W	221 x 227 x 50mm	≥0.9	6 KV	100	IP-66	ALUMINIUM
SLPL-FL-100	100W	270 x 280 x 65mm	≥0.9	6 KV	100	IP-66	ALUMINIUM
SLPL-FL-120	120W	270 x 280 x 65mm	≥0.9	6 KV	100	IP-66	ALUMINIUM
SLPL-FL-150	150W	280 x 285 x 70mm	≥0.9	6 KV	110	IP-66	ALUMINIUM
SLPL-FL-200	200W	360 x 332 x 81mm	≥0.9	6 KV	120	IP-66	ALUMINIUM
SLPL-FL-250	250W	360 x 332 x 81mm	≥0.9	6 KV	120	IP-66	ALUMINIUM



Green LED | Life25000hrs | HighEfficiency




LED FLOOD LIGHT (LEGEND MODEL)

COLOUR : CW / WW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP-RATING	HOUSING TYPE
SLPL-FL-30	30W	188 x 191mm	≥0.9	5 KV	90	IP-66	ALUMINIUM
SLPL-FL-50	50W	188 x 191mm	≥0.9	6 KV	100	IP-66	ALUMINIUM
SLPL-FL-100	100W	247 x 237mm	≥0.9	6 KV	100	IP-66	ALUMINIUM
SLPL-FL-150	150W	301 x 261mm	≥0.9	6 KV	110	IP-66	ALUMINIUM
SLPL-FL-200	200W	362 x 279mm	≥0.9	6 KV	120	IP-66	ALUMINIUM
SLPL-FL-250	250W	434 x 306mm	≥0.9	6 KV	120	IP-66	ALUMINIUM

Quality is our foremost priority


Green LED | Life25000hrs | HighEfficiency



LED FLOOD LIGHT (LENS MODEL)

COLOUR : CW / WW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP-RATING	HOUSING TYPE
SLPL-FL-100	100W	301 x 261 x 64mm	≥0.9	6 KV	100	IP-66	ALUMINIUM




LED FLOOD LIGHT (LENS MODEL)

COLOUR : CW / WW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP-RATING	HOUSING TYPE
SLPL-FL-250W	250W	410 x 336 x 56mm	≥0.9	6 KV	120	IP-66	ALUMINIUM
SLPL-FL-300W	300W	410 x 336 x 56mm	≥0.9	6 KV	120	IP-66	ALUMINIUM

Quality is our foremost priority

Green LED | Life25000hrs | HighEfficiency




DOB FLOOD LIGHT (NEO SERIES)

COLOUR : CW / WW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP-RATING	HOUSING TYPE
SLPL-FL-50	50W	178 x 152 x 25mm	≥0.9	6 KV	90	IP-66	ALUMINIUM

Green LED | Life25000hrs | HighEfficiency




DOB FLOOD LIGHT (NEO SERIES)

COLOUR : CW / WW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP-RATING	HOUSING TYPE
SLPL-FL-100	100W	238 x 192 x 25mm	≥0.9	6 KV	100	IP-66	ALUMINIUM

Quality is our foremost priority

Green LED | Life25000hrs | HighEfficiency






LED MODULAR LIGHT

COLOUR : CW / WW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP-RATING	HOUSING TYPE
SLPL-FL-50	50W	238 x 105 x 38mm	≥0.9	6 KV	90	IP-66	ALUMINIUM
SLPL-FL-100	100W	(238 x 105 x 38mm) x 2	≥0.9	6 KV	100	IP-66	ALUMINIUM
SLPL-FL-150	150W	(238 x 105 x 38mm) x 3	≥0.9	6 KV	110	IP-66	ALUMINIUM
SLPL-FL-200	200W	(238 x 105 x 38mm) x 4	≥0.9	6 KV	120	IP-66	ALUMINIUM
SLPL-FL-300	300W	(238 x 105 x 38mm) x 6	≥0.9	6 KV	120	IP-66	ALUMINIUM
SLPL-FL-400	400W	(238 x 105 x 38mm) x 8	≥0.9	6 KV	120	IP-66	ALUMINIUM

WELL GLASS LIGHT

Green LED | Life25000hrs | HighEfficiency



WELL GLASS LIGHTS


COLOUR : CW / WW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP-RATING	HOUSING TYPE
WG36	36W	Dia 133.90mm	≥0.9	5 KV	90	IP-66	ALUMINIUM
WG45	45W	Dia 133.90mm	≥0.9	6 KV	90	IP-66	ALUMINIUM
WG70	70W	Dia 185mm	≥0.9	6 KV	100	IP-66	ALUMINIUM
WG80	80W	Dia 185mm	≥0.9	6 KV	100	IP-66	ALUMINIUM



 **SUNtron™** Lighting
AN ISO 9001 : 2015 CERTIFIED CO.

LED WALL DECORATIVE LIGHTS SERIES...



Quality is our foremost priority

COLOURS AVAILABLE:
CW, NW, WW (OTHER COLOUR CAN BE CUSTOMIZED)




2 WAY



4 WAY









6 WAY



LED WALL LIGHT

COLOUR : CW / WW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP-RATING	HOUSING TYPE
SN-6	6W	67 x 80mm	≥0.5	1.5 KV	60	IP-65	ALUMINIUM
SN-12	12W	117 x 80mm	≥0.9	2.5 KV	60	IP-65	ALUMINIUM
SN-18	18W	167 x 80mm	≥0.9	2.5 KV	60	IP-65	ALUMINIUM



WALL LIGHT 2 WAY



WALL LIGHT 4 WAY

WALL LIGHT 6 WAY

Quality is our foremost priority

COLOURS AVAILABLE:
CW, NW, WW (OTHER COLOUR CAN BE CUSTOMIZED)

Green LED | Life25000hrs | HighEfficiency




HALF - K LIGHT

COLOUR : WW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SN-6	6W	76 x 81 x 63mm	≥0.9	1.5 KV	60	IP-65	ALUMINIUM

Green LED | Life25000hrs | HighEfficiency



FULL - K LIGHT


COLOUR : WW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SN-12	12W	143 x 81 x 63mm	≥0.9	3 KV	60	IP-65	ALUMINIUM

Quality is our foremost priority

COLOURS AVAILABLE:
CW, NW, WW (OTHER COLOUR CAN BE CUSTOMIZED)


Green LED | Life25000hrs | HighEfficiency



2 - WAY LIGHT

COLOUR : WW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SN-4	4W	90 x 51 x 37mm	≥0.9	1.5 KV	60	IP-65	ALUMINIUM



GARDEN SPIKE LIGHT

Green LED | Life25000hrs | HighEfficiency



COB SPIKE LIGHT

COLOUR : WW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP- RATING	HOUSING TYPE
SN-3	3W	252 x 67 x 63mm	≥0.9	1.5 KV	60	IP-65	ALUMINIUM
SN-6	6W	282 x 75 x 80mm	≥0.9	2.5 KV	60	IP-65	ALUMINIUM

Quality is our foremost priority

COLOURS AVAILABLE:
CW, NW, WW (OTHER COLOUR CAN BE CUSTOMIZED)


Green LED | Life 25000hrs | High Efficiency




4 - WAY ROUND LIGHT

COLOUR : WW

PRODUCT CODE	WATT	SIZE (MM)	POWER FACTOR	SURGE PROTECTION	LUMEN / WATT	IP-RATING	HOUSING TYPE
SN-8	8W	55 x 55x 41mm	≥0.9	3 KV	60	IP-65	ALUMINIUM
SN-12	12W	75 x 75 x 54mm	≥0.9	3 KV	60	IP-65	ALUMINIUM



OUT DOOR WALL LIGHT SMALL 4 WAY



OUT DOOR WALL LIGHT BIG 4 WAY



MANAGEMENT OFFICE



About Management

Our management team is committed to leading the company with vision, integrity, and expertise. We prioritize innovation, quality, and customer satisfaction, driving growth and success in the **LED lighting** industry.

Our Management Philosophy

- Customer-centric approach
- Collaborative leadership
- Continuous improvement
- Transparency and accountability
- Employee empowerment and development

We're dedicated to building a strong and agile organization, poised to meet the evolving needs of our customers and the market.

SUNTRON LIGHTING TEAM



FIND US ON



A COMPLETE SOLUTION FOR LED LIGHTS

AN ISO 9001 : 2015 CERTIFIED COMPANY

AN ISO 9001 : 2015 CERTIFIED CO.

SUNTRON LIGHTING PVT. LTD.

19/154, R.K. Puram, Agra Road
Aligarh 202001 (U.P.)

E-mail : info@suntronlighting.com | info@aligarhdiecasting.com

Website : www.suntronlighting.com

Mob.: +91 9837092220, 7088990777, 7078051042



DOWNLOAD
CATALOGUE

